



DuPont™ Snow & Ice Repellent Non-Stick Clear Coating

SAFETY DATA SHEET

According to Canada's Hazardous Products Regulations (HPR) SOR/2015-17

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Chemical Name	Not applicable.
CAS No.	Mixture
Trade Name	DuPont™ Snow & Ice Repellent Non-Stick Clear Coating
Product Code	None

Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)	Clear Coating
Uses Advised Against	None

Company Identification	Finish Line Technologies, Inc. 50 Wireless Blvd. Hauppauge, NY 11788
------------------------	--

Telephone	(631) 666-7300
E-Mail (competent person)	SDSinfo@finishlineusa.com

Emergency telephone number

Emergency Phone No.	Medical Emergency: 24 hr: 1-800-217-5157 / 1-651-523-0304
	Transportation Emergency: CHEMTREC 24 hr. 1-800-424-9300 / 1 (703) 527-3887 (Collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

HPR / WHIMIS 2015 / GHS Classification	Flam. Aerosol 1; Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; Asp. Tox. 1
--	--

Label elements

Hazard Symbol



DANGER

Signal Word(s)
Hazard Statement(s)

Extremely flammable aerosol.
Pressurised container: May burst if heated.
Causes skin irritation.
Causes serious eye irritation.
May cause drowsiness or dizziness.
May be fatal if swallowed and enters airways.
Repeated exposure may cause skin dryness or cracking.

Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
Do not spray on an open flame or other ignition source.
Pressurized container: Do not pierce or burn, even after use.
Protect from sunlight and do not expose to temperatures exceeding 50 °C/122 °F.
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.
Keep out of reach of children.

Precautionary Statement(s)



DuPont™ Snow & Ice Repellent Non-Stick Clear Coating

Other hazards

Toxic to aquatic life with long lasting effects.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredient(s)	% wt.	CAS No.
Heptane, branched, cyclic and linear	40 - 50	426260-76-6
Acetone	10 - 15	67-64-1
Propane	10 - 20	74-98-6
Butane	10 - 20	106-97-8

Additional Information - None

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation	Move person to fresh air. If breathing is labored, administer oxygen. If symptoms develop, obtain medical attention.
Skin Contact	Wash affected skin with soap and water. If irritation (redness, rash, blistering) develops, get medical attention. Take off contaminated clothing and wash it before reuse.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.
Ingestion	Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. Do not give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed May be fatal if swallowed and enters airways. Repeated exposure may cause skin dryness or cracking.

Indication of any immediate medical attention and special treatment needed IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

-Suitable Extinguishing Media	Extinguish with carbon dioxide, dry chemical, foam or water spray.
-Unsuitable Extinguishing Media	Do not use water jet.

Special hazards arising from the substance or mixture Highly flammable vapor (flash point below 23°C).

Advice for fire-fighters A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions. Keep containers cool by spraying with water if exposed to fire.



DuPont™ Snow & Ice Repellent Non-Stick Clear Coating

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Eliminate all ignition sources if safe to do so. Wear protective gloves/eye protection. Avoid breathing spray.
Environmental precautions	Prevent liquid entering sewers, basements and workpits.
Methods and material for containment and cleaning up	Cover spills with inert absorbent material. Transfer to a container for disposal or recovery.
Reference to other sections	None
Additional Information	None

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling	Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Do not spray on an open flame or other ignition source. Avoid contact with skin and eyes. Use product in a well-ventilated area only. Avoid breathing mist/vapours/spray.
Conditions for safe storage, including any incompatibilities	
-Storage temperature	Keep out of reach of children. Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F. Keep in a cool, well ventilated place. Keep container tightly closed.
-Incompatible materials	This product should be stored away from sources of strong heat or oxidising chemicals.
Specific end use(s)	Clear Coating

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

SUBSTANCE.	CAS No.	(8hr TWA)		STEL		Note:
		OEL (Canada)	TLV (ACGIH)	OEL (Canada)	TLV (ACGIH)	
Heptane, branched, cyclic and linear	426260-76-6	400 ppm	1500 mg/m ³	500 ppm	-----	-----
Acetone	67-64-1	500 ppm	150 ppm	750 ppm	500 ppm	-----
Propane	74-98-6	1000 ppm	Aspyx.#	-----	-----	#

#Assure minimum oxygen content of work atmosphere.

Recommended monitoring method	NIOSH 1500 (hydrocarbons, B.P. 36 - 216 °C); NIOSH 2555 (Ketones I)
Exposure controls	
Appropriate engineering controls	Provide adequate ventilation to ensure that the occupational exposure limit is not exceeded.
Personal protection equipment	

Eye/face protection



Wear protective eyewear (goggles, face shield, or safety glasses).

Skin protection (Hand protection/ Other)



Wear suitable gloves if prolonged skin contact is likely (Nitrile rubber). Check with protective equipment manufacturer's data.



DuPont™ Snow & Ice Repellent Non-Stick Clear Coating

Respiratory protection



In case of insufficient ventilation, wear suitable respiratory equipment. Check with protective equipment manufacturer's data.

Thermal hazards

Not normally required.

Environmental Exposure Controls

Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Liquid / Liquefied gas
Color	Clear / Colourless
Odor	Petroleum spirit / Acetone
Odor Threshold (ppm)	Not available
pH (Value)	Not available
Melting Point (°C) / Freezing Point (°C)	Not available
Boiling point/boiling range (°C):	94 - 98 (201 - 208 °F)
Flash Point (°C)	-104 (Propane)
Evaporation Rate	Not available
Flammability (solid, gas)	Extremely flammable
Explosive Limit Ranges	2.1% - 9.5% v/v (Propane)
Vapour pressure (Pascal)	ca. 95 x 10 ⁴ (Propane)
Vapour Density (Air=1)	ca. 1.56 @ 0°C (Propane)
Density (g/ml)	Not available
Solubility (Water)	Not available
Solubility (Other)	Not available
Partition Coefficient (n-Octanol/water)	Not available
Auto Ignition Point (°C)	Not available
Decomposition Temperature (°C)	Not available
Kinematic Viscosity (cSt)	<10 @ 40 °C
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

Other information

VOC content = 59% by wt.

SECTION 10: STABILITY AND REACTIVITY

Reactivity	Stable under normal conditions.
Chemical stability	Stable.
Possibility of hazardous reactions	None anticipated.
Conditions to avoid	Avoid contact with heat and ignition sources.
Incompatible materials	Strong oxidising agents
Hazardous decomposition product(s)	Carbon monoxide, Carbon dioxide, Acrid smoke, Other

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Information on toxicological effects - Substances in preparations / mixtures

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (CAS No. 426260-76-6):

Acute toxicity	Oral: LD50 >5840 mg/kg-bw
	Dermal: LD50 >2920 mg/kg-bw
	Inhalation: LC50 >2330 mg/m3
	May cause drowsiness or dizziness.
	May be fatal if swallowed and enters airways.



DuPont™ Snow & Ice Repellent Non-Stick Clear Coating

Irritation/Corrosivity	Causes skin irritation.
Sensitization	Not to be expected.
Repeated dose toxicity	Not to be expected. - NOAEC: 12350 mg/m ³ (2 yr, inhal., rat, Systemic effects) - LOAEC: 1650 mg/m ³ (2 hr, inhal., rat, CNS effects)
Carcinogenicity	Not to be expected.
Mutagenicity	Not to be expected.
Toxicity for reproduction	Not to be expected.
<u>Acetone (CAS No. 67-64-1)</u>	
Acute toxicity	Oral LD50 = 5800 mg/kg (rat) Dermal LD50 >15800 mg/kg (rabbit) Inhalation LC50 76 mg/L (4 hour(s)) (rat) - Vapours may cause drowsiness and dizziness.
Irritation / Corrosivity	Causes serious eye irritation. Repeated exposure may cause skin dryness or cracking.
Sensitisation	It is not a skin sensitiser.
Repeated dose toxicity	Oral NOAEL = 900 mg/kg/day (rat) (90-days) Inhalation NOAEL ≥ 19,000 ppm (rat)
Carcinogenicity	It is unlikely to present a carcinogenic hazard to man.
Mutagenicity	Negative
Toxicity for reproduction	Negative
Other information	None known.

SECTION 12: ECOLOGICAL INFORMATION

Substances in preparations / mixtures

Heptane, branched, cyclic and linear (CAS# 426260-76-6) - By analogy with similar materials:

Ecotoxicity

Short term
LL50 (96 hour): >13.4 mg/L (*Oncorhynchus mykiss*)
EL50 (48 hour): 3 mg/l (*Daphnia magna*, mobility)
EC50 (96 hour): 13 mg/l (*Pseudokirchnerella subcapitata*)

Long Term
NOELR (28 days) 1.5 mg/l (*Fish*) QSAR
LOEC (21 days): 0.32 mg/l (*Daphnia magna*)
NOEL (96 hour) 6.3 mg/l (*Algae*)

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil

Not available.

Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

Other adverse effects

None known.

Acetone (CAS No. 67-64-1):

Ecotoxicity

Short term
LC50 (96 hour): 5,540 mg/l (Rainbow Trout (*Oncorhynchus mykiss*))
LC50 (96 hour): 8,300 mg/l (Bluegill Sunfish (*Lepomis macrochirus*))
LC50 (48 hour(s)): 12,600 – 12,700 mg/l (*Daphnia magna*)
EC50 (14 d): 3,020 mg/l (Algae (*Chlorella pyrenoidosa*))
EC50 (15 min): 14,500 mg/l (Bacteria (*Photobacterium phosphoreum*))

Long Term
Not available.

Persistence and degradability

The harmful ingredients are biodegradable.

Bioaccumulative potential

The product has no potential for bioaccumulation.

Mobility in soil

Not available

Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

Other adverse effects

None known.



DuPont™ Snow & Ice Repellent Non-Stick Clear Coating

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.

SECTION 14: TRANSPORT INFORMATION

	Land transport (TDG)	Sea transport (IMDG)	Air transport (ICAO/IATA)
UN number	1950	1950	1950
Proper Shipping Name	Aerosols, flammable	Aerosols, flammable	Aerosols, flammable
Transport hazard class(es)	2.1	2.1	2.1
Packing group	Not applicable	Not applicable	Not applicable
Environmental hazards	No.	No.	No.
Special precautions for user	None assigned	None assigned	None assigned

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

This product has been classified in accordance to CPR Section 12 and the MSDS contains all the information required by the CPR.

Canada (DSL/NDSL) - All chemicals listed.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 2.

Date of preparation: October 8, 2021

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.